BUSINESS ADVISOR SERVICE CO accounting software specialist

1104 Crawford House, 70 Queen's Road Central, Hong Kong Tel : 852-25032568, Fax : 852-25035568, Email : info@bashk.org Website : www.bashk.org



Comments	Total Before Tax
	Total Tax1
	Total Tax2
	Total
	Amount Paid
	Balance Due (HKD)
	Balance Due (HKD)
PAYMENT ADVICE	From
PAYMENT ADVICE Please detach and send with your payment to	From Amount Paid
PAYMENT ADVICE Please detach and send with your payment to DEMO 示鏡公司	From Amount Paid Invoice No#
PAYMENT ADVICE Please detach and send with your payment to DEMO 示範公司 1104 Grawford House, 70 Queen's Road Central, Hong Kong	From Amount Paid Invoice No# Invoice Date

Solution :

zy Ezy Invoice 13 (C/S Version) : ABC	
Database Documents Receipts/Payments Go To	> Help
Close Documents Rcpts/ Pymts Customers Vend	arrors Inventory History Reports Statements Period
Documents	Receipts/ Payments
Add New Estimate	New Receipt From Customer
Add New Invoice	New Payment To Vendor
Add A New Invoice From Another Document	Search, Edit or Email Receipts & Payments
Add A New Credit Note	Email
Add A New Purchase Order	Send a Quick Email
Search, Add, Edit Invoices & Other Documents	Send Customer Statements
Database : Business Advisor Service Co., L	ogged on as : ABC

tabase Docur	ments Receipts/ Paym	ients Go To	Help				-					
e Document	s Rcpts/ Pymts Cust	comers Vendors	s Inventory	• Jistory	Reports	Statements	Help	git				
Document	s		Receipts,	Payment	5							
dd New Estim	ate		New Receipt	From Custome	r							
ad New Invoid	ce		New Paymen	it to vendor								
dd A New Inv	oice From Another Doo	ument	Search, Edit	or Email Recei	ots & Payme	ints						
dd A New Cre	dit Note											
du A New Cre	Document List		The second second									
dd A New Pur	ezy bocument else		1. 2-1		-	1	227					the state of the s
		elete Defrech	Erect Du			Bassinta Cla						
earcn, Add, E	Aug Ear F	zelece Kerresh	I FISC PI	revious Next	Last	Receipts <u>c</u> io	se					
(L	Invoice	▼ Doc. Date	e 🔻 Any	Date 👻			-	🔄 An	d Customer Is		Search	Show All
Jatabase : B	Default Layout	- 10		rint Email		Ontions & Lavo		uto Po	fresh List After	Edite		
	Under Enyone	<u> </u>	FIEWEW JE FI			Opcions & cayo			inesh List Arter	Luica		
		Doc. No#	Doc. Date	Customer Nan	ne	Description	Cus	t. Ref#	Own Ref#	Document Total	Received	Balance Due Delivery Sta
	🔁 All	R15555	28/12/2011	Ming Ming		HSBC #123332			-	\$2,300.00	\$2,300.00	\$0.00 Printed & E
	C Drafts	R15556	28/12/2011	Yan Yan		CASH				\$450.00	\$450.00	\$0.00 Printed & E
	C Outban	R15564	28/12/2011	Keung Keung						\$450.00	\$450.00	\$0.00 Printed & E
	Outbox	R15565	29/12/2011	Keung Keung						\$450.00	\$0.00	\$450.00 Printed & E
	Printed Only	R15567	11/01/2012	Keung Keung		HSBC #123333			_	\$1,200.00	\$1,200.00	\$0.00 Emailed
	Emailed Only	R15568	02/02/2012	X & Y HOLDIN	IGS COMPAN					\$148,500.00		\$148,500.00 Printed & E
	Concerned & Emailed	R15569	07/02/2012	A & B Group						\$123.00		\$123.00 Printed & E
		R15570	14/06/2012	A & B Group					-	\$30.00		\$30.00 Printed & E
		R15571	26/11/2013	Keung Keung								\$0.00 Draft
		R15572	28/11/2013	A & B Group								\$0.00 Draft
		R15573	28/11/2013	A & B Group								\$0.00 Draft
		R15574	28/11/2013	Ming Ming						\$1,125.00	\$1,125.00	\$0.00 Draft
		R15575	21/02/2014	A & B Group						\$69,296.50		\$69,296.50 Draft
		R15576	01/04/2014	X & Y HOLDIN	IGS COMPAN					\$325.00		\$325.00 Draft
		R15577	17/04/2014	A & B Group						\$850.00		\$850.00 Draft
		100 C										

EZY Invoice 1	3
---------------	---

	\$2,00,00 \$2,00,00 \$0,00 Philited
omize Document Field Display Labels and Layouts	
terhead Logo Header Body Footer Layouts/ Design	Enail
Layout Type For : Invoice Standard (Basic) © Custom (Adva	anced)
Customize Layouts For : Invoice You can have multiple layouts per document type	
Select layout to manage :	Preview
Available Layouts	Design
Default Layout	Import
Default Layout	Course The File
Invoice with Ship To	Save To File
New Layout	Add New
Rew Layour	Delete
- Re	estore Default
Created By ABC 23/04/2014 20:54:24 Last Edited By ABC 23/04/2014 21:11:07	
Default Lavout	

Edit Report	View Help					
🗃 🖬 💁 🖁	1 1 1 1 1	よらぬ ッや 尼石	100% -			
- ju	Tahoma	• 10 • B I U Tr A ♥ >				A
/Code \Data \Pac	ge1\					
		1 1 1 2 1 3 1 4 1 5		1 9 1 10 1 11 1 1	2 13 14	15 1 16 1 17 1
Page1	A 100					
🔺 💳 bndBoo	dy 📰	ReportTitle: bndReportTitle				
A Do	ocBodySer -				2.4	
A Do	ocBodyPro -					
A Do	ocBodyDes -	[Own Company,"] etter head"]		(1 7 2)	1.1	
A Do	ocBodyQty 🗠					
A Do	cBodyUM _					
A Do	ocBodyUni m					
A Do	CBOGYAMI -					
A Do						
A Do					Docum	ent "HD
	yer obter				Docum	CITC IID
		[Document."RName"]		I	voice No# [[Document."HDoc
		[Document."RAddress"]	1	ř.	hDate]	ocument "HDocDat
Page 1: TfrxReport	Page 🔻 👳					
	-			U	nYourRef] [[ocument."HCustVe
BackPicture of	assigned)		-	[]	hOurRef] [[ocument."HOwnRef
BackPicturePrir V	True -	[Document."RTaxRegNo"]		- Fi	Terms]	ocument "RCreditT
BackPictureVisi 🗸	True 💿		-			
BottomMargin 1.	.50 _	[Document."HAttentionTo"]		Ł	nsalesperson_ [[ocument."HSalespe
Color 🛛	dNone	Tel : [Document."RTel"]	1.1		hJobCode] [[ocument."HJobNo"]
Columns 0						
DataSet (N	lot assigned)	ColumnHeader: bndColumnHeader				
Duplex dn	mNone 🗧	[lbS [lbProductID [lbDescription]	on]	ElbQty [lb0]lb0	nitPrice [lb/	Amount] [Ow [Ow
EndlessHeight	False -	P + +			T	T
EndlessWidth	False =					
⊞Font (T	Font)					
EFrame (T	frxFrame)	MasterData: bndBody				🗾 Document
LargeDesignHe	False	[Doc [Document "B [Document "F	dvDescription"		cument "T [Docu	ment "Bd [Doc [Doc
LeftMargin 1.	.50	For The restriction of the second sec	al sesenheider 1	Tracen Trace T	- The second	mena par looc [Doi
Name Pa	agei -					
OutlineText	oPorualt 4	ReportSummary: bndDocSummary				
PageCount 1		2	1 1 1 1			1 -
PaperHeight 20	9 70 2	[IfComment		10 P 10	[IfTotBefTa:	x] [Document."FT
PaperSize 44	4 -	[Document."FMessageText"]			[IfTetTa	x] [Document "FT
PaperWidth 21	1 2			F	rice	
PrintIfEmpty	True			L	LITotTax	2] [Document."FT
PrintOnPreviou	False				[IfTotAftTax	[[Document."
	÷ .				a provide the second second	3 6

EZY Invoice 13

滑鼠按住 [Document."HDocTypeName"]並拉向中間或按工具列上置中鈕

FastReport - I	nvoice-New Lay	yout				/		And the second
le Edit Rep	ort View He	lp				/		
) 🗃 🗖 🖪	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and el X I		ाक्त मिल्लाः	100%			
							second states and states	
No style	Tr Verdana	- 18	• B <i>I</i> <u>U</u>	[] Tr 🛕 💆 🍣				🔟 🏠 🔏 🥅 1 🔹
Code Data	Page1							
12122222222222		2	E 1 E 2		1 6 1 7 1 8	9 1 10 1 1	1 1 12 1 13 1 1	4 1 15 1 16 1 17 1 1
	DocMainTerr 🔺	100	1					
·	DocMainSale		Report Title: b	ndReportTitle			-	
	DocMainJobl							
F	DocMainAttr						2015	
	fldOwnComp		Own Company	"."Letter head"]				
	CustomersV	2						
	CustomersVi					•		
	Customersvi						327	
	Lustomersvi	-	F		P			
	Distance 1	4			Docum	ent. HD	00	
	Ficture1				TypeNa	mo"l		
4 111		1.0.5			урсна		_ a	
1		,	[Document.]	"RName"]	535		Invoice No#	[Document."HDoc
			[Document."R	Address"]	840		[[hDate]	Document "HDocDat"
Memo1: TfrxN	1emoView 🔻	ω		200 Martin - 2000			[mode]	
Properties	Events	()=()					[IhYourRef]	[Document."HCustVe
Align	baNope 💌 🔹	~	1		100		[lhOurRef]	[Document."HOwnRef
AllowExpres		-	[Document."R	(TaxRegNo"]	10.00		[lbTorme]	F Pocument "PCroditt
AllowHTMLT	an Ealse						E	12 f
AutoWidth	False	1.20	[Document.'	"HAttentionTo"]			LihSalesperson	[Document."HSalespe]
BrushStyle	bsSolid		Tel : [Docume	ent."RTel"]	: 1 .		[lhJobCode]	[Document."HJobNo"]
CharSpacing	0 0		<u> </u>	18			al e ta di Sala	
Clipped	✓ True		ColumnHeade	:: bndColumnHeader				
Color	dNone	무	TINS TIMPror	lugt ID []bDesgrin	ioni	filitiony filbu	ElblinitPrice	flbAmounti Fow Fow
Cursor	crDefault	-	Participa Provincia	And a second second second	163442.)	<u></u>	T	The second s
DataField	10	=	1					
DataSet	Document	-						
Description		2	MasterData:	andBody				Document
1 DisplayForm	at		TDesTDesum	ant "D TDecument	DduDeceription "]	TDesurations		Desumant "Rd (Dest (Des
ExpressionE	eli [,]		Froc Trocam	ent. B [Document.	BuyDescription J	Thornwin		ocument. Bu [Doc [Doc
FlowTo		£						
⊡ Font	(TFont)							
⊞ Frame	(TfrxFrame)	14	ReportSumm	ary: bndDocSummary				
GapX	2	-	+	ary , bridbocounnilly				
GapY	1	2	[IfComment]				[IfTotBe	Tax] [Document."FTo
HAlign	haLeft		Document "F	MessageText"			72 5107	
Height	1.50	(1993)	ILoocument. I	message i ext			lific	DTLaxi Document."Elo

快按[Document."HDocTypeName"] 2 下, 輸入"INVOICE 發票" 按 OK



Date 加中文字"日期"在旁, 快按[lhDate] 2 下, 輸入日期, 按 OK

Code (Data Page 1						
	1 1 2 1 3 1	4 1 5 1 6 1 7 1 8 1	9 1 10 1 11 1	12 1 13 1	14 15 1	8 I 17 I
A IbiDate						
A lblCustomerRef	Report litle: bndReport litle			-		
A lblOwnRef						
A IbiNo -						
A IbITerms -	[Own Company,"] etter head	1"]	1			
A IblSalesPerson 🗠		· · · · · · · · · · · · · · · · · · ·				
A IblJobNo _						
A DocMainNo						
A DocMainDate	t	The second se	I TIME I			
A DocMainCustor		Document	L. HDOC			
A DocMainOwnRe		TypeName	"ITNVO			
A DocMainTerms -		Typendine	Truca			
<u> </u>	[Document."RName"]	-	5	nvoice No.	# [Documer	t."HDoc
	[Document "RAddress"]		Le Le		32	
ວate: TfrxMemoView 🔻 👦	[Document, KAddress]			InDate	Document	. "HDocDat
			1	[hyourRef]	[Document	"HCustVe
Properties (Events)				ThOurRoft	i F	"HOwnRof
Align baNone 💌 🔺 🏸	Document "RF	n 1	رل	mourkerj	Locament	
AllowExpressic I True	Memo					CreditT
AllowHTMLTag False	[Document "				10	ISale spe
AutoWidth 🗌 False	Tal a Desuma	ormat Highlight				
BrushStyle DoSolid		# =				ר סאומסרו
charspacing U	ColumnHeade					
	[lhDate]	日期				
	lbs lbProc					ow [ow
Data Field						
DataField = =						
Description						1
DisolayFormat	Masterbata: D					Document
	[Doc [Docume					Doc [Doc
FlowTo 2	E E					T
Font (TEont) -						
Frame (TfrxFrame)						
GapX 2	ReportSumma					
SapY 1					P.	1
HAlign haLeft ₽	[IfComment]					ent."FTo
Height 0.50 -	[Document."Fi			OK	Cancel	ent,"FTo

Description 旁加中文字'貨品說明", 快按[lbDescription] 2 下, 輸入貨品說明, 按 OK

	Involce-New Layout	Contract of the second second second				
File Edit Rep	port View Help					
	l 🗋 🛅 🖄 🕰 🛛 🖍	* & 🗈 🛋 🍠 🤊 [1] 13 15 1 (100% -			
No style	• Tahoma	• 10 • 🖪 I 🗓 珩 🗛 唑 🗞		444 J. EE EE	19 1 19 .	_ 🏡 🧟 🋲 1 🔹
Code Data	Page1					
m	····· 🖻	1 1 1 2 1 3 1 4 1 5	1 6 1 7 1 8	i 9 i 10 i 11 i	12 1 13 1 14	4 1 15 1 16 1 17 1 18 1 1
АЫ	Description	ReportTitle: bodReportTitle				
	Qty _	Tal			7	
	Amount -					
I	4 -	5				
	Tax1	[Own Company."Letter head"]				
. Аы	Tax2					
A 🔄 bndDo	cSummary					
🄏 🛛 🖳 sh	pSummarySepa	t		H		
АЫ	AmountBeforeT		Documer	it."HDoc		
	AmountTax *		TypeNam	e"ITNVO		
	AmountArter la -		ypertain	- 1710		
····		[Document."RName"]			Invoice No#	[Document."HDoc
		[Document."RAddress"]	2		[IhDate] 日期	[Document, "HDocDat]
DiDescription	: In xiviemoviev • @				[lbYourPof]	1 F. Custing ant "HCusting 1
/Properties	Events -					
Align	baNone 💌 🔺 🗠	Description of "DT-uDe-NI-"	H		[IhOurRef]	_ [Document."HOwnRef
AllowExpre	ssic 🗹 True 👘 👘	[Document. RTaxRegNo]	-		[lhTerms]	[Document."RCreditT
AllowHTML	Tag False 👓	[Document "HAttentionTo"]	-		[lhSalesperson	[Document,"HSalespe
AutoWidth	False -	Tel : [Decument "PTel"]			[h]obCodo]	f Document "WichNo"
CharSpacin	Dissolid on		<u> </u>		[unopcode]	"Epocament: Hoopilo 1
Clinned	ITrue −	ColumnHeader: bndColumnHeader		<		
Color	\$00FDBE	LINS LINProduct ID LINDescrip	ioul	Thory Thu Tu	attnit Price	UbAmount I I Ow I Ow
Cursor	crDefault -	F ± C ±	CICATOL CONTRACTOR OF	· · ·		THE REAL PROPERTY AND ADDRESS OF THE PARTY O
DataField	= =		/	/		
DataSet	(Not assign					
Description	2	MasterData: bndBody				Document
D CDChp don	nat	[Dec TDecument "P TDecument	"BdyDescription"]		Document." ^T [D	ocument "Bd [Doc [Doc]
⊕ DisplayForr	- + F 1	I DOU I DOUUMENT. D I DOUUMENT.				
Expression	Deli [,]	Froc Trocametic B Trocametic	buy bescription]			
Expression FlowTo	Deli [,]		baybesenption j	<u> </u>		

只顯示中文字"數量",不要英文 Qty,快按[lbQty]2 下,進入[Memo]刪除[lbQty]輸入數量按 OK

A	i i biųty	2011 <u>2007</u>	ReportTitle: hedDepartTitle			
A	blUnitPrice	-	report nue: prokeport nue			7
A	IblAmount	-				
A	. UM					<u>.</u>
-A	bilax1		[Own Company."Letter head"]		1	
A	Dilax2	2				
	dDocsummary	17.0				
	blamountBe					
	blamountTa	-		Document	"HDoc	
A	blAmountAf	4		Loocament	in TIDOC	
A	DocMainAmc 1	- <u></u>		TypeName'	"IINVO	
III	•	5				
		2	[Document."RName"]		Invoice	e No#_ [Document."HDoc _
Oby ThyMa	mol/iew		[Document."RAddress"]	100	[IhDate]	日期 [Document."HDocDat
Server in Amer	noview.	9			- [lbVour	Refl [Document "HOustVe
Properties (E	Events	17.0			L'INTOUR	
Align	baNone 💌 🖌	~		-	[lhOurR	ef] [Document."HOwnRef]
AllowExpress	sic 🗹 True	- 1	[[Document."RTaxRegNo"]		[lhTerm	s] [Document."RCreditT
AllowHTMLTa	ag 🗌 False			-	[lbCalor	norcon [Document "HS-loops
AutoWidth	False	-	[Document."HAttentionTo"]		Lingales	person [Document, nodiespe
			Tol - [Document "PTol"]	13	[h]ohCi	ode] [Document."HJobNo"]
BrushStyle	bsSolid		[ref. [Document. Kier]		Lusser	
BrushStyle CharSpacing	DisSolid	o.		<u>v</u>	Lupper	
BrushStyle CharSpacing Clipped	■ bsSolid 0 ✓ True	6 - 1	ColumnHeader: bndColumnHeader			
BrushStyle CharSpacing Clipped Color	bsSolid 0 True \$00FDBE	- B	ColumnHeader: bndColumnHeader	ion]貨品說明	[bQty [bU [bUnitPr	ice [lbAmount] [Ow [Ow
BrushStyle CharSpacing Clipped Color Cursor	■ bsSolid 0 ✓ True ■ \$00FDBE crDefault	- 10 - 9	ColumnHeader: bndColumnHeader	ion]貨品說明	(IbQty (IbU [IbUnitPr	ice[lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField	■ bsSolid 0 ▼ True ■ \$00FDBC crDefault ■	11 - 10 - 3	ColumnHeader: bndColumnHeader	ion]貨品說明	[lbQty bU [lbUnitPr	ice[lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet	DsSolid O ✓ True \$00FDBE crDefault (Not assign)	1 1 1 1 3	ColumnHeader: bndColumnHeader	ion]貨品說明	[IbQty Ibu [IbUnitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description	bsSolid V True \$00FDBC crDefault (Not assign	12 - 11 - 10 - 9	ColumnHeader: bndColumnHeader	ion]貨品說明	[lbQty bu [bunitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma	bsSolid True \$00FDBE CrDefault (Not assign at b[1]	· 12 · 11 · 10 · 9	ColumnHeader: bndColumnHeader	ion]貨品說明	[lbQty]lbU [lbUnitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDo	bsSolid True \$00000000000000000000000000000000000	13 - 12 - 11 - 10 - 9	ColumnHeader: bndColumnHeader [bs][bProductID][bDescrip www.memo Text Format Highlight [[] ↓ ∑ # ≣	ion]貨品說明	[lbQty]lbU [lbUnitPr	ice [lbAmount][Ow]Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDo FlowTo Font	bsSolid True solorDBC crDefault (Not assign at li [,] (TFont)	i 13 i 12 i 11 i 10 i 9	ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescrip Text Format Highlight	ion]貨品說明	[lbQty]lbU [lbUnitPr	ice [lbAmount] [Ow] [Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDo FlowTo JFont Frame	bSSolid 0 V True S00FDBC crDefault (Not assign at eli [,] (TFont) (TfrxFrame'	4 i 13 i 12 i 11 i 10 i 3	ColumnHeader: bndColumnHeader [IbS][IbProductID][IbDescrip]	ion]貨品說明	[lbQty lbU [lbUnitPr	ice] [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description IDisplayForma ExpressionDo FlowTo IFont IFrame GapX	bSSolid 0 V True S00FDBC crDefault (Not assign at eli [,] (TFront) (TfrxFrame; 2	14 - 13 - 12 - 11 - 10 - 3	ColumnHeader: bndColumnHeader [bS][bProduct10][bDescrip ezy Memo Text Format Highlight [c] \$\$ \$\$ \$\$ \$\$	ion]貨品說明	[IbQty IbU [IbUnitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color DataField DataSet Description DisplayForme ExpressionDo FlowTo Font Frame GapX GapY	bsSolid True SOOFDBC crDefault (Not assign at eli [,] (TFont) (TfrxFrame) 2 1	1	ColumnHeader: bndColumnHeader [IbS][IbProduct10][IbDescrip [IbProduct10][IbDescrip [IbProduct10][IbDescrip [IbProduct10][IbDescrip [IbProduct10][IbDescrip [IbProduct10][IbDescrip [IbProduct10][IbDescrip [IbProduct10][IbDescrip [IbProduct10][IbDescrip	ion]貨品說明	[IbQty IbU [IbUnitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDor FlowTo FlowTo FlowTo GapX GapY HAlign	■ bsSolid 0 ✓ True ■ \$00FDBC crDefault (Not assigni at eli [,] (TFont) (TfrxFrame) 2 1 haRight	15 i 14 i 13 i 12 i 11 i 10 i 3	ColumnHeader: bndColumnHeader [bS][bProduct10][bDescrip [czy Memo Text Format Highlight [c] PR [l] PR [l]	ion]貨品說明	(BQty Ibu [IbunitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDo- FlowTo FlowTo FlowTo FlowTo GapX GapY HAlign Height	■ bsSolid 0 ✓ True ■ \$00FDBC crDefault (Not assigniat eti [,] (TFont) (TfrxFrame) 2 1 haRight 0.50	i 15 i 14 i 13 i 12 i 11 i 10 i 3	ColumnHeader: bndColumnHeader [bS][bProduct10][bDescrip [c] Text Format Highlight [c] R [l] [c] [c] [c] [c] [c] [c] [c] [c	ion]貨品說明	<u>(IbQty IbU</u> [IbUnitPr	ice [lbAmount][Ow]Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDur FlowTo FlowTo FlowTo Font Frame GapX GapY HAlign Hieght HideZeros	■ bsSolid 0 ✓ True ■ \$00FDBC crDefault (Not assigni at eli [,] (TFont) (TfrxFrame) 2 1 haRight 0,50 ■ False	16 i 15 i 14 i 13 i 12 i 11 i 10 i 3	ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescrip Text Format Highlight [D]	ion]貨品說明	[lbQty] lbU [lbUnitPr	ice [lbAmount] [Ow [Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDo FlowTo Font Frame GapX GapY HAlign Height HideZeros Highlight	bSSolid 0 Virue S00FDBC crDefault (Not assign at eli [,] (TFront) (TfrxFrame] 1 haRight 0.50 []False (TfrxHighlig	1 15 1 15 1 14 1 13 1 12 1 11 1 10 1 3	ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescrip	ion]背品說明	[IbQty IbU [IbUnitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForms ExpressionDu FlowTo FowTo FowTo FowTo FowTo Form Frame GapX GapY HAlign Height HideZeros Highlight Hint	bSSolid V True S00FDBC crDefault (Not assign at eli [,] (TFont) (TfrxFrame) 2 1 haRight 0.50 False (TfrxHighlig.	7 i 16 i 15 i 14 i 13 i 12 i 11 i 10 i 3	ColumnHeader: bndColumnHeader [IbS][IbProduct1D][IbDescrip exy Memo Text Format Highlight [I] [I] [I] [I] [I] [I] [I]	ion]貨品說明	[lbQty lbU [lbUnitPr	ice] [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDu FlowTo Font Frame GapX GapX HAlign Height HideZeros Highlight Hint Left	bSSolid C True S00FDBC CrDefault (Not assign at eli [,] (TFont) (TfrxFrame) 2 1 haRight 0.50 False (TfrxHighlig 9.00	- 17 - 16 - 15 - 14 - 13 - 12 - 11 - 10 - 3	ColumnHeader: bndColumnHeader [bS][bProduct10][bDescrip [c] Text Format Highlight [c] [c] [c] [c] [c] [c] [c] [c]	ion]貨品說明	[IbQty IbU [IbUnitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDur FlowTo FlowTo FlowTo FlowTo FlowTo GapX GapY HAlign Height Hint LineSpacing	■ bSSolid 0 If True S00FDBC crDefault (Not assigning at eli [,] (TFont) (TfrxFrame) 2 1 haRight 0.50 □ False (TfrxHighlig 9.00 2	3 - 17 - 16 - 15 - 14 - 13 - 12 - 11 - 10 - 3	ColumnHeader: bndColumnHeader [IbS][IbProduct10][IbDescrip [IbProduct10][IbProduct10][IbDescrip [IbProduct10][IbProduct10][IbDescrip [IbProduct10][I	ion]貨品說明	[BQty bu [bunitPr	ice [lbAmount][Ow][Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDor FlowTo Font Frame GapX GapY HAlign HAlign Height Hint Left LineSpacing Memo	■ bsSolid 0 ✓ True \$00FDBC crDefault (Not assign at eli [,] (TFont) (TfrxFrame) 2 haRight 0.50 □ False (TfrxHighlig. 9.00 2 (TWideStrin	18 1 17 1 16 1 15 1 14 1 13 1 12 1 11 1 10 1 3	ColumnHeader: bndColumnHeader [IbS][IbProduct10][IbDescrip [z] Memo Text Format Highlight [D] Text Format Highlight [D] UDQLY] PR	ion]貨品說明	[lbQty] lbU [lbUnitPr	ice [lbAmount][Ow]Ow
BrushStyle CharSpacing Clipped Color Cursor DataField DataSet Description DisplayForma ExpressionDo- FlowTo	bSSolid 0 Virue S00FDBC crDefault (Not assign at eli [,] (TFont) (TfrxFrame) 2 1 haRight 0.50 IFalse (TfrxHighlig 9.00 2 (TWideStrin IblQty	- 18 - 17 - 16 - 15 - 14 - 13 - 12 - 11 - 10 - 3	ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescrip] Text Format Highlight [I]	ion]貨品說明		ice [lbAmount] [Ow [Ow
BrushStyle CharSpacing Clipped Color DataField DataSet Description DisplayForms ExpressionDo FlowTo FlowTo Font Frame GapX GapY HAlign Height HideZeros Highlight Hint LineSpacing Memo Name ParagraphGa	bSSolid 0 Virue S00FDBC crDefault (Not assign at eli [,] (TFont) (TfrxFrame] 2 1 haRight 0.50 IFalse (TfrxHighlig 9.00 2 (TWideStrin blQty ap 0	19 - 18 - 17 - 16 - 15 - 14 - 13 - 12 - 11 - 10 - 3	ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescrip]	ion]背品說明		ice] [lbAmount][Ow][Ow]

刪除最後2欄 [Tax], 滑鼠指向藍色線上[Own]按 Delete, 再到橙色線下[Doc] 按 Delete, 多了空白地方可以移動或拉闊其他欄位

Page1	ReportTitle: bodReportTitle					
				7		
A DocBodySer						
A DocBodyPro	L			<u> </u>		
A DocBodyDes	[Own Company."Letter head"]					
A DocBodyUnit						
A DocBodyAm				κ.		
		Docume	nt "HDoc	S		
		Docume	IIII HDUC			
▲ → bndPageFooter ▼ -		lvpeNan	1e" IINVO			
			212 - 1 222-2121		1.5	
	[Document."RName"]	4		Invoice No#	ີ [Doci	ument."HDoc
1: TfryPapartPage	[Document."RAddress"]	45		[IhDate] 日期	[Docu	ment."HDocDa
et, makeportrage • @				[lbVourP of]	1 FDocu	mont "HCuctVa
operties Events				[infourker]		ment. neustve
ckPicture (t assigned)		H		[lhOurRef]	Docu	ment."HOwnRe
ckPicturePrir 🗹 True 👘	[[Document."RTaxRegNo"]		Defet has			ment."RCredit1
ckPictureVisi 🗹 True 🛛 💿		-	Point ner	e and pres	SS T	L TUC L
ttomMargin 1 50	[Document."HAttentionTo"]				UI	ment."HSalesp
		-		itton		a Brief Las 1
lor IciNone	Tel : [Document."RTel"]		Delete bl		u,	ment. "HJODNO"
lor IciNone a	Tel : [Document."RTel"]	Ĺ	Delete bi		<u>,</u>	ment. "HJODNO"
lor ■dNone lumns 0 taSet (Not assigned) _	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader		Delete bt			ment."HJODNO
lor dNone lumns 0 taSet (Not assigned)	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [lbS [lbProductID] bDescriptic	on]貨品說明	Telete bu	bUnitPrice	[lbAmo	
Allone Al	[Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [[bs_[[bProduct10]]bDescription	on貨品說明		bUnitPrice	[lbAmo	
loor ■ dNone loor	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescription]	on]貨品說明		bUnitPrice	[lbAmo	
lumns 0 taSet (Not assigned) plex dmNone = dlessHeight False = nt (TFont) -	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescription]	on]貨品說明		bUnitPrice	[lbAmo	
lor dNone dNone dlassHeight False dlessHeight False truth (TFont) and (TfwrFrame) S	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS_[IbProductID][bDescription MasterData: bndBody	on]貨品說明		bUnitPrice	IbAmo	
lumns 0 taSet (Not assigned) plex dmNone dlessHeight False nt (TFont) ame (TfrxFrame) rgeDesignHe False	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS_[IbProductID][bDescripti MasterData: bndBody [Doc TDocument."B_TDocument	on]貨品說明		bUnitPrice	(IbAmo	
lumns 0 dNone description descripti description description description description descri	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS_[IbProductID][bDescripti MasterData: bndBody [Doc_[Document."B_[Document."	on]貨品說明 'Bd Description"]	[[bocum][Docu]	bUnitPrice	u [IbAmo	t."Bd [Doc_ [Do
lumns 0 dNone lumns 0 taSet (Not assigned) plex dmNone dlessHeight ☐ False nt (TFont) - me (TfrxFrame) rgeDesignHc ☐ False tfMargin 1.50 Panet - tfMargins ☐ False Panet - tfMargins ☐ False Panet - Panet -	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [ibs_[ibProductID][bDescriptic MasterData: bndBody [Doc_[Document."B_[Document."	on]貨品說明 'Bd/Description"]	[[bocum][Docu]	bUnitPrice	u [IbAmo	t."Bd [Doc] [Do
lor IdNone lumns 0 taSet (Not assigned) plex dmNone dlessHeight False dlessHeight False nt (TFont) me (ffrxFrame) rgeDesignHe False ftMargin 1.50 rorrMargins False me Page1	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [[bs][[bProduct10][[bDescripti MasterData: bndBody [[Doc][Document."B][Document."	on]貨品說明 'Bd/Description"]	[[boty][bt]]	bUnitPrice	u [IbAmo	utiloor
lor dNone lumns 0 taSet (Not assigned) plex dmNone dlessHeight False dlessHeight False nt (TFont) ame (TfrxFrame) rorMargins False me Page1 entation poPortrait	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [lbS][lbProductID][bDescription MasterData: bndBody [Doc][Document."B][Document." *ReportSummary: bndDocSummary	on]貨品說明 Bd Description"]	[lbqty][bt]	bUnitPrice	u [IbAmo	ut][Ow][O
ior Ione iumns 0 taSet (Not assigned) plex dmNone plex dmNone dlessHeight False dlessWidth False nt (TFront) me (TfrxFrame) geDesignHe False ifMargin 1.50 rorMargins False me Page1 entation poPortrait geCount 1	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS][IbProductID][IbDescription MasterData: bndBody [Doc][Document."B][Document." PReportSummary: bndDocSummary	on]貨品說明 'Bd/Description"]		bUnitPrice	libAmo Documen	ut][Ow][O Document
and a general sector and a general sector and a	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescripti MasterData: bndBody [Doc][Document."B][Document." PReportSummary: bndDocSummary [IfComment]	on]貨品說明 'BdyDescription"]	[lbqty][lbt _] [Docum][Docu	Document."	[IbAmo Documen	ut][Ow][O ut][Ow][O bcument."FT
lumns 0 lumns 0 taSet (Not assigned) = plex dmNone = dlessHeight False = dlessWidth False = mt (TFrxFrame) = rgeDesignHe False = ftMargin 1.50 = rorMargins False = ftMargin 1.50 = rorMargins False = timme Page1 = ientation poPortrait = geCount 1 = perHeight 29.70 = perSize 44	[Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS [IbProductID][bDescription MasterData: bndBody [Doc][Document."B][Document." *ReportSummary: bndDocSummary [IfComment] [Document."FMessage/ext"]	on]貨品說明 'Bd Description"]	I [boty][bu] T[Docum][Docu	Document."	[lbAmo	IDocument."FT
and a sign and	[Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS [IbProductID][bDescripti MasterData: bndBody [Doc][Document."B][Document." *ReportSummary: bndDocSummary [IfComment] [Document."FMessage/ext"]	on]貨品說明 Bd Description"]	I [boty][by] [T[Docum][Docu	Document."	(IbAmo Documen efTax)	(Document."F1
lor d'None lumns 0 taSet (Not assigned) plex dmNone dlessHeight False dlessWidth False that (TFort) ame (TfrxFrame) rgeDesignHe False that in 50 rorMargins False Page1 - ientation poPortrait geCount 1 perHeight 29.70 perSize A4 perWidth 21 titterev Virue	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS [IbProductID][bDescripti MasterData: bndBody [Doc][Document."B][Document." PReportSummary: bndDocSummary [IfComment] [Document."FMessage/ ext"]	on]貨品說明 'Bd/Description"]	I [boty][by] [Docum][DocuT	Document." ^T [C [IfTotBe [IfTot	efTax] [tTax] Tax2]	Document."FT [Document."FT [Document."FT
lumns 0 taSet (Not assigned) - taSet (Not ass	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS][IbP roductID][DDescription MasterData: bndBody [Doc][Document."B][Document." *ReportSummary: bndDocSummary [IfComment] [Document."FMessageText"]	on]貨品說明 'Bd Description"]	[lbqty][bt]	bUnitPrice	(IbAmo Documen PotTax] Tax2]	Document."F1 [Document."F1 [Document."F1 [Document."F1
lor ■ dNone □ dNone □ dNone □ dNone □ dNone □ dessHeight □ False □ dessWidth □ dessWi	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS][IbProductID][bDescription MasterData: bndBody [Doc][Document."B][Document." PReportSummary: bndDocSummary [IfComment] [Document."FMessage/ext"]	on]貨品說明 'Bd Description"]	Lete bu	bUnitPrice	(IbAmo Documen otTax] Tax2] tTax]	L Document."F1 [Document."F1 [Document."F1 [Document."F1
Idex Idex Idex Idex Munns 0 Idex (Not assigned) Idex Idex Munne Idex Idex False Idex Idex False Idex Imme Page1 Idex Initation poPortrait Idex Idex 1 Idex Idex 1 Idex Idex 1 Idex Idex 1 Idex Idex Idex Idex Idex	Tel : [Document."RTel"] ColumnHeader: bndColumnHeader [IbS [IbProductID][bDescripti MasterData: bndBody [Doc][Document."B][Document." 'ReportSummary: bndDocSummary [IfComment."FMessage/ext"] [Document."FTemsNConditions 7	on]貨品說明 Bd Description"]	I [boty][by] [Docum][Docu]]]]]	bUnitPrice Document."" [C [IfTotBe [IfTot [IfTot [IfTotAff	efTax] tTax] tTax] tTax] tTax]	Document."FT [Document."FT [Document."FT [Document."FT [Document."FT

修改後先按 Preview 看結果, 滿意才按儲存

FastReport - Invoice-New Layout					
ile Edit Report X iew Help					
l 🚅 🖌 🗋 💼 🖆 🛍 🖌 🖌	◎◎ ♥ で 五石 ■算算	100% -			
Tahoma 🔹	10 - B I U Tr A 12 8		e wali ee ee e	a na l' na na .	
Code (Data (Page 1)					1
	1 1 2 1 3 1 4 1 5 1	8 1 7 1 8 1	9 1 10 1 11 1	12 1 13 1 14	· 15 · 16 · 17 · 1
Page1	ReportTitle: bndReportTitle				
A DocBodySer				-	
A DocBodyDes - A DocBodyQty A A DocBodyUM	[Own Company."Letter head"]			-	
A DocBodyUnit A DocBodyAm bndPageFooter		Document	."HDoc	•	
A lblPageNumt	ī	peName	"]INVO	-	
	[Document."RName"]			Invoice No#	[Document."HDoc
Page 1: TfrxReportPage	[Document."RAddress"]	100		[[lhDate] 日期]	[Document. "HDocDat]
(Descention)				[lhYourRef]	[Document."HCustVe]
BackPicture of assigned) ···· ··· ··· ··· ··· ··· ··· ··· ···· ··· ····	[Document."RTaxRegNo"]			[IhOurRef] [IhTerms]	[Document."HOwnRef
BackPictureVisi ☑ True ∞	[Document, "HAttentionTo"]	3.		[lhSalesperson]	[Document."HSalespe
Color dNone	Tel : [Document."RTel"]	4		[lhJobCode]	[Document. "HJobNo"]
Columns 0 - DataSet (Not assigned) -	ColumnHeader: bndColumnHeader			-1	
Duplex dmNone = - EndlessHeight False =	[lbS [lbProduct1D [lbDescription	目貨品說明	[lbQty	[lbV [lbVnitP	rice] [lbAmount]

Result :

BUSINESS ADVISOR SERVICE CO accounting software specialist

1104 Crawford House, 70 Queen's Road Central, Hong Kong Tel : 852-25032568, Fax : 852-25035568, Email : info@bashk.org Website : www.bashk.org

INVOICE 發票

		I	nvoice No) #	
		0	ate 日期		
		Y	our Ref#		
		c)ur Ref#		
		c	Credit Term	s	
		S	alesperson	l	
Tel:		L.	ob Code		
SN# Product ID	Description賞品號明	Qty UI	4 Uni	it Price	Amount

Comments	Total Before Tax		
	Total Tax1		
	Total Tax2		
	Total		
	Amount Paid		
	Balance Due (HKD)		
YAYMENT ADVICE	From		
AVMENT ADVICE lease detach and send with your payment to	From Amount Paid		
PAYMENT ADVICE Please detach and send with your payment to DEMO示範公司	From Amount Paid Invoice No#		
PAYMENT ADVICE Please detach and send with your payment to DEMO 示範公司 1104 Crawford House, 70 Queen's Road Central, Hong Kong	From Amount Paid Invoice No# Invoice Date		